

GENERAL CONSTRUCTION NOTES

1. ALL WORK DETAILED ON THESE PLANS SHALL BE CONSTRUCTED TO THE SATISFACTION OF THE CITY ENGINEER IN ACCORDANCE WITH THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION (LATEST EDITION) INCLUDING ALL AMENDMENTS ADOPTED THERETO PRIOR TO THE DATE OF APPROVAL OF THESE PLANS AND IN ACCORDANCE WITH THE STANDARD DRAWINGS OF THE CITY OF WEST COVINA UNLESS OTHERWISE SPECIFIED.
2. THE DESIGN ENGINEER CITY OF WEST COVINA HAS INVESTIGATED THE RECORDS OF THE CITY AND THE MAPS, WHICH THE UTILITY COMPANIES HAVE FILED WITH THE CITY, AND HAS SHOWN HEREON THE SUBSTRUCTURES FOUND BY THAT INVESTIGATION.
3. BEFORE WORK COMMENCES, THE CONTRACTOR MUST OBTAIN A PERMIT TO EXCAVATE IN THE CITY STREETS FROM THE CITY ENGINEER.
4. THE CONTRACTOR SHALL COMPLY WITH THE REQUIREMENTS FOR TRAFFIC CONTROL AS OUTLINED IN THE LATEST EDITION OF "WORK AREA TRAFFIC CONTROL HANDBOOK" PUBLISHED BY BUILDING NEWS, INC.
5. THE FINISHED SURFACE OF THE ROADWAY IS TO CONFORM TO A UNIFORM TRANSITION BETWEEN SECTIONS SHOWN HEREON AND SECTIONS IN PLACE. WHERE NECESSARY, THE CONTRACTOR SHALL REMOVE A PORTION OF EXISTING PAVEMENT AND RESURFACE TO PROVIDE A SMOOTH JOIN.
6. THE EXPANSION JONTS SHALL CONFORM TO SECTION 303-5.4 OF THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION.
7. CRUSHED AGGREGATE BASE MATERIAL SHALL CONFORM TO THE GRADATION OF SECTION 200-2.2.2 OF THE STANDARD SPECIFICATION.
8. ALL ASPHALTIC RUBBER HOT MIX SHALL BE TYPE ARHM-GG-C.
9. BEFORE BREAKING INTO ANY EXISTING SEWER STRUCTURE AND BEFORE FINAL ACCEPTANCE OF ANY SEWER INSTALLATION WORK, THE COUNTY SANITATION DISTRICT (562-699-7411) SHALL BE NOTIFIED AND ARRANGEMENTS MADE FOR REQUIRED INSPECITON.
10. THE CONTRACTOR SHALL NOTIFY THE LOS ANGELES COUNTY DEPARTMENT OF PUBLIC WORKS INSPECTOR AT (818-896-8594) PRIOR TO THE COMMENCEMENT OF ANY STORM DRAIN WORK AND PROVIDE FOR INSPECTION AND ACCEPTANCE OF THE WORK BY LACFCD.
11. THE CONTRACTOR SHALL NOTIFY THE MAINTENANCE DEPARTMENT AT (626) 939-8458 TO ARRANGE FOR REMOVAL OR RELOCATION OF ANY TRAFFIC CONTROL OR STREET NAME SIGNS AT LEAST 24 HRS. PRIOR TO THE INTENDED REMOVAL OR RELOCATION.
12. THE CONTRACTOR SHALL CALL IN A LOCATION REQUEST TO UNDERGROUND SERVICE ALERT (USA), PHONE NUMBER (800) 422-4133, TWO WORKING DAYS BEFORE DIGGING. NO CONSTRUCTION PERMIT ISSUED BY THE ENGINEERING DEPARTMENT INVOLVING EXCAVATION FOR UNDERGROUND FACILITIES WILL BE VALID UNLESS APPLICANT HAS BEEN PROVIDED AN INQUIRY IDENTIFICATION NUMBER BY USA.